

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-8. (Canceled)

9. (Currently Amended) A non-motorized mobile for use with a swing having a hanger tube supported from a hub, the non-motorized mobile comprising:

a mounting bracket configured to engage the hanger tube;

a support arm coupled to the mounting bracket, the support arm having a distal end;

a hanger attachment coupled to the support arm at the distal end, the hanger attachment being freely movable at the distal end;

a hanger coupled to the hanger attachment; and

a decorative object coupled to the hanger,

wherein motion is imparted to the mobile by the motion of the swing, and

wherein the hanger attachment is provided with a socket ball, and the distal end of the support arm has a socket to engage the socket ball.

10. (Original) The non-motorized mobile of claim 9, wherein the hanger includes a plurality of radially extending arms.

11. (Original) The non-motorized mobile of claim 10, wherein each arm supports a respective decorative object.

12. (Original) The non-motorized mobile of claim 9, wherein the support arm is rotatable in the mounting bracket.

13-15. (Canceled)

16. (Original) The non-motorized mobile of claim 9, wherein the support arm is positionable above a seat such that a child seated in the seat can interact with the decorative object.

17-24. (Canceled)

25. (Currently Amended) An object hanger for use with a swing having a seat hanger and a seat coupled to the seat hanger, the object hanger comprising:

a support member configured to be coupled to one of the seat hanger and seat such that motion is imparted to the support member by the motion of the swing;

a hanger coupled to the support member, the hanger including a plurality of radially extending arms and being freely movable relative to the support member; and

a decorative object coupled to the hanger,

wherein the support member and the hanger are coupled together by a socket ball and socket arrangement.

26. (New) The non-motorized mobile of claim 9, wherein the socket has a plurality of angled ribs to engage a surface of the socket ball.

27. (New) The non-motorized mobile of claim 26, wherein tops of the ribs match a circumference of the socket ball.

28. (New) The non-motorized mobile of claim 26, wherein tops of the ribs are angled relative to a longitudinal axis of the support arm.

29. (New) The non-motorized mobile of claim 9, wherein the socket has spring steel wire positioned therein.

30. (New) The non-motorized mobile of claim 9, wherein the socket ball has a plurality of angled ribs to engage a surface of the socket.

31. (New) The non-motorized mobile of claim 9, wherein the socket has a plurality of slots.

32. (New) The non-motorized mobile of claim 31, wherein the socket ball has projections to engage with the slots.

33. (New) The non-motorized mobile of claim 31, wherein the slots are angled relative to a longitudinal axis of the support arm.

34. (New) The non-motorized mobile of claim 9, wherein the socket has projections, and the socket ball has a plurality of slots to engage the projections.

35. (New) The object hanger of claim 25, wherein the socket is formed in the hanger, and the socket ball is provided at a distal end of the support member.

36. (New) The object hanger of claim 25, wherein the socket is formed at a distal end of the support member, and the socket ball is coupled to the hanger.

37. (New) The non-motorized mobile of claim 25, wherein the hanger attachment is provided with a plurality of fins, and the distal end of the support member has a pair of fingers to interact with the fins.

38. (New) A non-motorized mobile for use with a swing, the non-motorized mobile comprising:

- a mounting bracket configured to engage the swing;

- a support member coupled to the mounting bracket, the support member having a distal end;

- a hanger attachment coupled to the support member at the distal end, the hanger attachment being freely movable at the distal end;

- a hanger coupled to the hanger attachment; and

- a decorative object coupled to the hanger,

- wherein motion is imparted to the mobile by the motion of the swing, and

- wherein the hanger attachment is provided with a socket ball, and the distal end of the support member has a socket to engage the socket ball.

39. (New) An object hanger for use with a swing, the object hanger comprising:

- a support member configured to be coupled to the swing such that motion is imparted to the support member by the motion of the swing;

- a hanger coupled to the support member, the hanger including a plurality of radially extending arms and being freely movable relative to the support member; and

a decorative object coupled to the hanger,  
wherein the support member and the hanger are coupled together by a socket ball and  
socket arrangement.